



NOTES: UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS ARE IN INCHES.
2. DRAIN BODY MATERIAL: 14GA STAINLESS STEEL T304/T316
3. SPECIFYING ENGINEER IS RESPONSIBLE FOR CONCRETE ENCASEMENT AND REINFORCING BASED UPON APPLICATION AND LOCAL CODES.
4. REFER TO <https://info.slotdrainsystems.com/installresources> FOR INSTALLATION INSTRUCTIONS.


| REVISIONS |  |            |    |
|-----------|--|------------|----|
| REV       | DESCRIPTION                            | DATE       | BY |
| 0         | INITIAL RELEASE - R0                   | 11/20/2019 | DK |
| 1         | UPDATED DRAWING LAYOUT & REBAR DETAILS | 7/14/2021  | DK |
| 2         | UPDATED WITH GLOBAL DRAIN TEMPLATE     | 3/19/2024  | DK |



REINFORCED CEMENT CONCRETE FLOOR (±FFL) PER ENGINEER DETAILS



PLAN VIEW



DETAIL-A

SEALANT BETWEEN ±FFL AND CATCH BASIN TOP

6X12X12 CATCH BASIN INSTALLATION DETAILS



DRAWING TITLE  
CONCRETE FLOOR-RETROFIT INSTALLATION

DRAIN SERIES  
6X12X12 CATCH BASIN WITH PANLID

DWG NO. IN-6X12X12PITPANLID-100-R2    SIZE B    SCALE NTS    SHEET 1 OF 1

ALL DRAWINGS ARE THE EXCLUSIVE PROPERTY OF SLOT DRAIN SYSTEMS. ANY REPRODUCTION IN PART OR IN WHOLE IS PROHIBITED WITHOUT PROPER CONSENT.

REV. 2